

**Static Solutions**  
**331 Boston Post Road**  
**Marlboro, MA 01752**  
**508-480-0700**

**SAFETY INFORMATION**  
**HEALTH 1**  
**FLAMMABILITY 3**  
**REACTIVITY 0**

**MATERIAL SAFETY DATA SHEET**      Page 1 of 3      **TA-4900**

---

**SECTION I PRODUCT IDENTIFICATION**

---

**Product Trade Name: TA-4900**  
**Distributor: Static Solutions**  
**Effective Date: 2/4/2004**  
**Formula: Blend**

---

**SECTION II INGREDIENT INFORMATION**

---

Ingredient	Approx. Wt%	Exposure limit/toxicity
Isopropanol (CAS # 67-63-0)	40-50	400 ppm OSHA/ACGIH TWA, 500 ppm OSHA/AACGIH STEL LD50> 1720 mg/kg (oral-rat) LC50: 2000ppm
Water (CAS # 7732-18-5)	40-50	Not established
Surfactant Blend	<1%	

---

**SECTION III HEALTH HAZARDS IDENTIFICATION**

---

Route(s) of Entry.....Eye contact. Skin Contact.  
Effects of Acute Exposure:  
Eye.....May cause: Moderate eye irritation.  
Skin.....Prolonged or repeated contact may cause: Mild skin irritation  
Drying/defatting of skin.  
Inhalation..... None known.  
Ingestion..... None known.  
Medical Conditions..... None known.  
Generally recognized as being aggravated by exposure.

---

**SECTION IV FIRST AID MEASURES**

---

EYE CONTACT.....Flush immediately with water for 20 minutes. If irritation persists, get medical attention.  
SKIN CONTACT.....Wash contaminated area with water and soap. If irritation persists, get medical attention.  
INHALATION..... Remove to fresh air.  
INGESTION..... Drink 1-2 glasses of water or milk. Do not administer anything by to an unconscious person. Do not induce vomiting! Seek immediate medical attention.

**Static Solutions  
331 Boston Post Road  
Marlboro, MA 01752  
508-480-0700**

**MATERIAL SAFETY DATA SHEET**

Page 2 of 3

**TA-4900**

---

**SECTION V FIRE AND EXPLOSION INFORMATION**

---

Flash Point: 100 F

Autoignition temperature: Not applicable.

Extinguishing Media: Foam, CO<sub>2</sub>, Dry Chemical, Water fog.

Special Firefighting Procedures: Normal fire fighting procedure may be used. Fire fighters should wear self-contained breathing apparatus and protective clothing.

Unusual Fire and Explosion Hazards: Container may burst in heat of fire.

---

**SECTION VI PREVENTIVE MEASURES**

---

**INDUSTRIAL HYGIENE IN THE WORKPLACE**

Respiratory Protection: No special requirements under normal use conditions.

Ventilation: General room ventilation adequate.

Protective Gloves: No special requirements under normal use conditions.

Eye Protection: No special requirements under normal use conditions.

Other Protective Equipment: If major exposure is possible to eyes/skin, wear/use appropriate protective equipment.

---

**SECTION VII STORAGE AND HANDLING PROCEDURES**

---

Precautions To Be Taken In Handling And Storage: Store at 40 degrees F to 80 degrees F. This product is for Industrial Use only. Keep away from Fire and Heat (Any ignition source). Keep containers closed when not in use. Provide adequate ventilation.

Steps To Be Taken In Case Material is Released or Spilled: Halt spill at source and contain or dike spill with inert absorbent material. Transfer liquid to containers for recovery or disposal. Shovel absorbent into drums for disposal in accordance with local, state, and federal regulations.

Recommended Waste Disposal Methods: Material should not be flushed into sewer system. If this product becomes a waste, it does not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it has neither the characteristics of Subpart C nor is listed in Subpart D. After the material has been collected, dispose of in accordance with all regulations applicable to non-hazardous liquid wastes.

---

**SECTION VIII PHYSICAL AND CHEMICAL PROPERTIES**

---

COLOR: Clear

PRODUCT STATE: Liquid

ODOR: light solvent

SOLUBILITY IN WATER: Complete

SPECIFIC GRAVITY: .89

(H<sub>2</sub>O=1)

VAPOR DENSITY: (AIR=1) 1.5

EVAPORATION RATE: Not available.

VAPOR PRESSURE (mm HG) Same as water.

**Static Solutions**  
**331 Boston Post Road**  
**Marlboro, MA 01752**  
**508-480-0700**

**MATERIAL SAFETY DATA SHEET**

Page 3 of 3

**TA-4900**

---

**SECTION VIII CONT'D**

---

BOILING POINT: Not available.  
FREEZING POINT: Not available.  
% VOLATILE BY VOLUME: Not available.  
VOLATILE ORGANIC COMPOUND: Not available.

---

**SECTION IX STABILITY AND REACTIVITY DATA**

---

Stability: Stable  
Conditions to Avoid: No special requirements  
Incompatibility: No special requirements.  
Hazardous Polymerization: Will not occur.  
Hazardous Decomposition Products: Produces normal products of combustion.

---

**SECTION X TOXICOLOGY INFORMATION**

---

EFFECTS OF CHRONIC EXPOSURE: None known.

---

**SECTION XI ECOLOGICAL INFORMATION**

---

ENVIRONMENTAL DATA: Not available.

---

**SECTION XII TRANSPORTATION INFORMATION**

---

US DOT INFORMATION: Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

---

**SECTION XIII REGULATORY INFORMATION**

---

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act TSCA Chemical Substance Inventory.

---

**SECTION XI USER'S RESPONSIBILITY**

---

**Static Solutions** cannot anticipate all conditions of handling and use of this product. Therefore, **Static Solutions** accepts no responsibility for results obtained by the application of this information, or the safety and suitability of our products either alone or in combination with other products.

It is the responsibility of the user to provide a safe workplace, using the health and safety information obtained herein as a guide. **Static Solutions** will accept no liability for damage or loss incurred from the improper handling and use of this product.

---

**Prepared by: Manufacturer's Technical Support Department.**

**Revised 7/18/96**

**Revised 2/4/2004**