Material Safety Data Sheet One Step (No Clean)

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING. Page 1 of 4

1.1	Identification of subs	tance (as per label):	One Step Desoldering Braid.
	Other means of Ident	ification:	
1.2	Company Name:	Easy Braid Co.	Part Numbers: OS-A-5, OS-A-5AS, OS-A-10, OS-A-10AS, OS-A-25,
	Contact Name:	Jim Strempke	OS-A-50, OS-A-100, OS-A-500, OS-B-5, OS-B-5AS, OS-B-10, OS-B-
	Full Address:	11543 K-tel Drive	10AS, OS-B-25, OS-B-50, OS-B-100, OS-B-500, OS-C-5, OS-C-5AS,
		Minneapolis, MN 55343 USA	OS-C-10, OS-C-10AS, OS-C-25, OS-C-50, OS-C-100, OS-C-500, OS-
	Telephone Number:	952-929-3040	D-5, OS-D-5AS, OS-D-10, OS-D-10AS, OS-D-25, OS-D-50, OS-D-100,
	Fax Number:	952-929-2765	OS-D-100AS, OS-D-500, OS-E-5, OS-E-5AS, OS-E-10, OS-E-10AS,
	Emergency Number:		OS-E-25, OS-E-50, OS-E-100, OS-E-100AS, OS-E-500

2. COMPOSITION / IDENTIFICATION ON INGREDIENTS

CAS NUMBER	INGREDIENTS	%	SYMBOLS	RISK PHASE
7440-50-8	Pure Copper Metal	99.9		
8050-09-7	Modified Rosin	0.1		
8030-09-7	Woullieu Rosiii	0.1		

2.1	Substances presenting a health hazard:	The 0.1% Rosin may cause all	lergic reactions: does not contain hazardous	
		ingredients.		
2.2	Exposure Limit Values:	Copper -	ACGIH	
			TLV	
2.3	Is substance is confidential - indicate chemical nature to ensure	-fume	0.1mg/m3	
	safe handling	-dust	1.0mg/m3	

3. HAZARDS IDENTIFICATION

3.1	Critical Hazards:	HMIS Hazard Rating: 0 = insignificant	
		1 = slight	
		2 = moderate	
		3 = high	
		4 = extreme	
3.2	Critical Hazards to Man & Environment:	Health = 1	
		Flammability = 0	
		Reactivity = 0	
	Adverse Human Health Effects and Symptoms:	Rosin flux may cause an allergic reaction, resulting in a sk	in rash. Clean
		hands after use.	

4. FIRST AID MEASURE

4.1	Skin Contact:	Flush skin with copious amounts of water.
	-First Aid:	
	-Symptoms:	Rash.
	-Effects:	
	-Delayed Effects:	
	-Medical Attention Needed:	
	Eye Contact:	Remove metal fragments and flush eyes with water.
	-First Aid:	
	-Symptoms:	
	-Effects:	
	-Delayed Effects:	
	-Professional Attention Needed:	
	Inhalation:	
	-First Aid:	Remove to fresh air. If breathing has stopped, administer CPR.
	-Symptoms:	
	-Effects:	
	-Delayed Effects:	
	-Professional Attention Needed:	
	Ingestion:	
	-First Aid:	Induce vomiting.
	-Symptoms:	
	-Effects:	
	-Delayed Effects:	Wire strands could cause internal digestive tract bleeding.
	-Professional Attention Needed:	Induce vomiting.

© 1998, EASY BRAID CO., PROD-4014, Revision D, 31 July 2000

J. TIKL I	5. FIRE FIGHTING MEASURES		
5.1 S	Suitable Extinguishing Media:	Powder Dolomite, Sodium Chloride or Graphite.	
5.2 U	Jnsuitable Extinguishing Media:	Do not use water.	
5.3 E		Copper reacts violently with C2H2, NH4N03, Bromates, Chlorates, Iodates, C12, C1F2, Ethylene Oxide, F2, H2O2, Hydrazine monoitrate, Hydrazoic acid, H2S, K202, NaN3, Na202, CUN03, S.	
5.4 0	Combustion Products: -Resulting Gases:	Carbon Monoxide, Aliphatic Aldehydes, and Acids	
5.5 P	Protective Equipment For Firefighters:	Not Needed	

6. ACCIDENTAL RELEASE MEASURES

01 110 0.	: ACCIDENTAE RELEASE MEASURES		
6.1	Personal Precautions:		
	-Ignition sources?	When subjected to temperatures over 180° F, flux fumes should be vented.	
	-Provision for sufficient ventilation?	See Section 8.1.	
	-Control of dust?	Vacuum or sweep up and dispose of as a non-cumbustable metal.	
	-Prevention of skin contact?	Gloves not normally required. When clipping short lengths, protective	
	-Prevention of eye contact?	eyewear is recommended.	
6.2	Environmental Precautions:		
6.3	Methods for Cleaning Up:	Vacuum or sweep up and dispose of as a noncombustible solid.	
6.4	Materials not to be Used for Cleaning Up:	See above. See section 5, of this document.	

7. HANDLING & STORAGE

7.1	Handling	
	-General Rules	Store in cool, dry environment for functional purposes.
	-Technical Precautions for Safe Handling	None required.
	-Measures necessary to prevent airborne levels of chemical	If product is exposed to temperatures are above 180 ⁰ F, use local
	being generated as a result of handling.	ventilation.
7.2	Recommended Storage Conditions	
	-List incompatible materials	
	-Quantity Limits for storage	See sections 5 & 2 of this document.
	-Special Requirements for proper	
	storage of chemical	

8. EXPO	8. EXPOSURE CONTROLS / PERSONAL PROTECTION		
8.1	System Design	General mechanical or local hood. Ventilation is recommended for	
	(e.g. Fume Hoods, Ventilated	applications where the product will exceed 180° F.	
	Cabinets, Enclosure)		
8.2	Control Parameters		
	-Limit values or biological standards:		
8.3	Recommended Monitoring Procedures:	See Section 5, of this document.	
8.4	Personal Protection	Use local or general ventilation away from the operator if the product	
	-Respiratory Protection:	temperature is exposed to 180° F+.	
	-Hand Protection:	Gloves may be used if resin is a skin irritant.	
	-Eye Protection:	Eye protection should be worn when clipping short lengths.	
	-Skin Protection:	See hand protection.	
8.5	CEN standards	Carcinogens < 0.1%	

9. PHYS	9. PHYSICAL AND CHEMICAL PROPERTIES			
9.1	Appearance:	Copper metallic braid with fine crystalline resin layer.		
9.2	Odor:	None.		
9.3	pH:	N/A		
9.4	Boiling Point:	1981 degrees F		
9.5	Melting Point:	1949 degrees F		
9.6	Flash Point:	No flash		
9.7	Flammability (solid gas):	None		
9.8	Autoflammability:	None		
9.9	Explosive Properties:	None		
9.10	Oxidizing Properties:	Copper can oxidize if prolonged exposure in moist conditions.		
9.11	Vapor Pressure:	N/A		
9.12	Relative Density:	N/A		
9.13	Solubility:			
	-Water Solubility	Negligible		
	-Fat Solubility	Unknown		
9.14	Partition coefficient, n-octanol/water:			
9.15	Other Data:			
	-Safety Parameters	N/A		
	-Vapor Density	N/A		
	-Miscibility	N/A		
	-Evaporation rate	N/A		
	-Conductivity	Copper is very conductive.		
	-Viscosity	A solid		

10. STABILITY AND REACTIVITY

101 0111	, STADIETT I AND REACTIVITT		
10.1	Stability	Stable	
10.2	Conditions to avoid		
	-Effects		
10.3	Materials to Avoid		
	-Effects		
10.4	Hazardous Decomposition products		
	-the need for and the presence of		
	stabilizers:	Hazardous environment can occur in the presence of excessive heat	
	-hazardous exothermic reaction:	and/or chemicals as listed in Section 5, this document.	
	-change in appearance in the substance:		
	-hazardous products formed upon		
	contact with water:		
	-possible degradation to unstable		
	products:		

11. TOXICOLOGICAL INFORMATION

11.1	Skin Exposure:	
	-Symptoms:	Possible allergic rash reaction. See Section 4, this document.
	-Immediate Effects:	-
	-Delayed Effects:	
	-Chronic Effects:	
	-Special Health Effects:	
11.2	Eye Contact:	
	-Symptoms:	Possible danger of metal fragments. See Section 4, this document.
	-Immediate Effects:	
	-Delayed Effects:	
	-Chronic Effects:	
	-Special Health Effects:	
11.3	Inhalation:	
	-Symptoms:	
	-Immediate Effects:	If product is exposed to temperatures in excess of 180° F, local
	-Delayed Effects:	ventilation must be used.
	-Chronic Effects:	
	-Special Health Effects:	
11.4	Ingestion:	
	-Symptoms:	
	-Immediate Effects:	May be moderately irritating to stomach lining. Induce vomiting if
	-Delayed Effects:	conscious.
	-Chronic Effects:	
	-Special Health Effects:	

Page 3 of 4

Page 4 of 4

12 FCO	DLOGICAL INFORMATION		Page 4 of
12.1	Mobility -distribution to environmental compartments -surface tension -absorption / desorption -physical & chemical properties	Not applicable.	
12.2	Degradability -biotic and abiotic degradation -acrobic and anaerobic degradation -persistence	Not applicable.	
12.3	Accumulation -bioaccumulation potential -biomagnification	Not applicable.	
12.4	Short and Long Term Effects on: -Ecotoxity -aquatic organisms -soil organisms -plants and terrestrial animals -Other Adverse Effects -ozone depletion potential -photochemical ozone creation potential -effects on waste water treatment plants	Not applicable.□	

13. DISPOSAL CONSIDERATIONS

13.1	Safe Handling	Consult with local regulatory bodies to metallic solid waste disposal
13.2	Methods of Disposal	

14. TRANSPORT INFORMATION

14.1	UN Number:	Harmonized Tariff Code: #7413.00.1000
14.2	Road & Sea Freight Classification:	Copper wire coated with resin flux
14.3	Substance Classification Number:	
14.4	Class:	
14.5	Packing Group:	Validated license # / General license symbol: "NLR"
14.6	Proper Shipping Name:	
	PGR (if applicable)	
14.7	ADR/RID CLASSIFICATION:	
	Class:	
	Item Number:	
14.8	ICAO/IATA CLASSIFICATION:	
	Class:	
	Sub-Risk:	
	Packing Group:	
	Proper Shipping Name:	

15. REGULATORY INFORMATION

15.2Symbols:Classification as designated in Section 3.15.3Risk Phrases:Risk Phrases: R36/37/38	
15.3 Risk Phrases: Risk Phrases: R36/37/38	
15.4 Safety Phrases: Safety Phrases: S14 (per section 5), S22/39, S43 (per section 5)	5)

16. OTHER INFORMATION

16.1	Regulatory Information:	