Material Safety Data Sheet Sea Braid

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING.

1.1	Identification of substance (as per label):	Sea Braid Desoldering Braid. □
	Other means of Identification:	
1.2	Company Name: Easy Braid Co.	Part Numbers: S-A-5, S-A-5AS, S-A-10, S-A-10AS, S-A-25, S-A-50, S-A-100,
	Contact Name: James Strempke	S-A-500, S-B-5, S-B-5AS, S-B-10, S-B-10AS, S-B-25, S-B-50, S-B-100, S-B-
	Full Address: 11543 K-tel Drive	500, S-C-5, S-C-5AS, S-C-10, S-C-10AS, S-C-25, S-C-50, S-C-100, S-C-500, S-
	Minneapolis, MN 55343	D-5, S-D-5AS, S-D-10, S-D-10AS, S-D-25, S-D-50, S-D-100, S-D-500, S-E-5, S-
	Telephone Number: 952-929-3040	E-5AS, S-E-10, S-E-10AS, S-E-25, S-E-50, S-E-100, S-E-500
	Fax Number: 952-929-2765	
	Emergency Number:	

2. COMPOSITION / IDENTIFICATION OF INGREDIENTS

COM					
CAS	INGREDIENTS	%	SYMBOLS	RISK	
NUMBER				PHASE	
7440-50-8	Pure Copper Metal	99.9			
7732-18-5	Surfactants	< 0.1			

2.1	Substances presenting a health hazard:	The 0.1% Rosin may	cause allergic reactions: does not contain hazardous	
		ingredients.		
2.2	Exposure Limit Values:	Copper -	ACGIH	
2.3	Is substance is confidential - indicate chemical nature to ensure	-fume	0.1mg/m3	
	safe handling	-dust	1.0mg/m3	

3. HAZARDS IDENTIFICATION

0. 11712	HAZARDS IDENTIFICATION		
3.1	Critical Hazards:	HMIS Hazard Rating:	0 = insignificant
			1 = slight
			2 = moderate
			3 = high
			4 = extreme
3.2	Critical Hazards to Man & Environment:	Health = 1	
		Flammability = 0	
		Reactivity = 0	
	Adverse Human Health Effects and Symptoms:	Rosin flux may cause ar	allergic reaction, resulting in a skin rash. Clean hands
		after use.	

4. FIRST AID MEASURE

4.1	Skin Contact:	Flush skin with copious amounts of water.
7.1	-First Aid:	11 tush skin with copious amounts of water.
		D1.
	-Symptoms:	Rash.
	-Effects:	
	-Delayed Effects:	
	-Medical Attention Needed:	
	Eye Contact:	Remove metal fragments and flush eyes with water.
	-First Aid:	
	-Symptoms:	
	-Effects:	
	-Delayed Effects:	
	-Professional Attention Needed:	
	Inhalation:	
	-First Aid:	Remove to fresh air. If breathing has stopped, administer CPR.
	-Symptoms:	
	-Effects:	
	-Delayed Effects:	
	-Professional Attention Needed:	
	Ingestion:	
	-First Aid:	Induce vomiting.
	-Symptoms:	-
	-Effects:	
	-Delayed Effects:	Wire strands could cause internal digestive tract bleeding.
	-Professional Attention Needed:	Induce vomiting.

5. FIRE FIGHTING MEASURES

3. I III	THE HOHIEVO MEASURES		
5.1	Suitable Extinguishing Media:	Powder Dolomite, Sodium Chloride or Graphite.	
5.2	Unsuitable Extinguishing Media:	Do not use water.	
5.3		Copper reacts violently with C2H2, NH4N03, Bromates, Chlorates, Iodates, C12, C1F2, Ethylene Oxide, F2, H2O2, Hydrazine monoitrate, Hydrazoic acid, H2S, K202, NaN3, Na202, CUN03, S.	
5.4	Combustion Products: -Resulting Gases:	Carbon Monoxide, Aliphatic Aldehydes, and Acids	
5.5	Protective Equipment For Firefighters:	Not Needed	

6. ACCIDENTAL RELEASE MEASURES

6.1	Personal Precautions:	
	-Ignition sources?	When subjected to temperatures over 180° F, flux fumes should be vented.
	-Provision for sufficient ventilation?	See Section 8.1.
	-Control of dust?	Vacuum or sweep up and dispose of as a non-cumbustable metal.
	-Prevention of skin contact?	Gloves not normally required. When clipping short lengths, protective eyewear is
	-Prevention of eye contact?	recommended.
6.2	Environmental Precautions:	
6.3	Methods for Cleaning Up:	Vacuum or sweep up and dispose of as a noncombustible solid.
6.4	Materials not to be Used for Cleaning Up:	See above. See section 5, of this document.

7. HANDLING & STORAGE

7.1	Handling	
	-General Rules	Store in cool, dry environment for functional purposes.
	-Technical Precautions for Safe Handling	None required.
	-Measures necessary to prevent airborne levels of chemical	If product is exposed to temperatures are above 180° F, use local ventilation.
	being generated as a result of handling.	
7.2	Recommended Storage Conditions	
	-List incompatible materials	See sections 5 & 2 of this document.
	-Quantity Limits for storage	
	-Special Requirements for proper	
	storage of chemical	

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1	System Design	General mechanical or local hood. Ventilation is recommended for applications
	(e.g. Fume Hoods, Ventilated	where the product will exceed 180° F.
	Cabinets, Enclosure)	
8.2	Control Parameters	
	-Limit values or biological standards:	
8.3	Recommended Monitoring Procedures:	See Section 5, of this document.
8.4	Personal Protection	Use local or general ventilation away from the operator if the product
	-Respiratory Protection:	temperature is exposed to 180° F+.
	-Hand Protection:	Gloves may be used if resin is a skin irritant.
	-Eye Protection:	Eye protection should be worn when clipping short lengths.
	-Skin Protection:	See hand protection.
8.5	CEN standards	Carcinogens < 0.1%

9.1	Appearance:	Copper metallic braid with fine crystalline resin layer.
9.2	Odor:	None.
9.3	pH:	N/A
9.4	Boiling Point:	1981 degrees F
9.5	Melting Point:	1949 degrees F
9.6	Flash Point:	No flash
9.7	Flammability (solid gas):	None
9.8	Autoflammability:	None
9.9	Explosive Properties:	None
9.10	Oxidizing Properties:	Copper can oxidize if prolonged exposure in moist conditions.
9.11	Vapor Pressure:	N/A
9.12	Relative Density:	N/A
9.13	Solubility:	
	-Water Solubility	Negligible
	-Fat Solubility	Unknown
9.14	Partition coefficient, n-octanol/water:	
9.15	Other Data:	
	-Safety Parameters	N/A
	-Vapor Density	N/A
	-Miscibility	N/A
	-Evaporation rate	N/A
	-Conductivity	Copper is very conductive.
	-Viscosity	A solid

10. STABILITY AND REACTIVITY

10.1	Stability	Stable
10.2	Conditions to avoid	
	-Effects	
10.3	Materials to Avoid	
	-Effects	
10.4	Hazardous Decomposition products	
	-the need for and the presence of	
	stabilizers:	Hazardous environment can occur in the presence of excessive heat and/or
	-hazardous exothermic reaction:	chemicals as listed in Section 5, this document.
	-change in appearance in the substance:	
	-hazardous products formed upon	
	contact with water:	
	-possible degradation to unstable	
	products:	

11. TOXICOLOGICAL INFORMATION

11. TOA	ICOLOGICAL INFORMATION	
11.1	Skin Exposure:	·
	-Symptoms:	Possible allergic rash reaction. See Section 4, this document.
	-Immediate Effects:	
	-Delayed Effects:	
	-Chronic Effects:	
	-Special Health Effects:	
11.2	Eye Contact:	
	-Symptoms:	Possible danger of metal fragments. See Section 4, this document.
	-Immediate Effects:	
	-Delayed Effects:	
	-Chronic Effects:	
	-Special Health Effects:	
11.3	Inhalation:	
	-Symptoms:	
	-Immediate Effects:	If product is exposed to temperatures in excess of 180° F, local ventilation must
	-Delayed Effects:	be used.
	-Chronic Effects:	
	-Special Health Effects:	
11.4	Ingestion:	
	-Symptoms:	
	-Immediate Effects:	May be moderately irritating to stomach lining. Induce vomiting if conscious.
	-Delayed Effects:	
	-Chronic Effects:	
	-Special Health Effects:	

12.1	Mobility -distribution to environmental compartments -surface tension -absorption / desorption -physical & chemical properties	Not applicable.
12.2	Degradability -biotic and abiotic degradation -acrobic and anaerobic degradation -persistence	Not applicable.
12.3	Accumulation -bioaccumulation potential -biomagnification	Not applicable.
12.4	Short and Long Term Effects on: -Ecotoxity -aquatic organisms -soil organisms -plants and terrestrial animals -Other Adverse Effects -ozone depletion potential -photochemical ozone creation potential -effects on waste water treatment plants	Not applicable.□
13. DISPOSAL CONSIDERATIONS		
13.1	Safe Handling	Consult with local regulatory bodies to metallic solid waste disposal □
13.2	Methods of Disposal	,
14. TRANSPORT INFORMATION		
14.1	UN Number:	Harmonized Tariff Code:
		#7413.00.1000
14.2	Road & Sea Freight Classification:	Copper wire coated with resin flux
14.3	Substance Classification Number:	
14.4	Class:	
14.5	Packing Group:	Validated license # / General license symbol: "NLR"
14.6	Proper Shipping Name:	
14.7	PGR (if applicable) ADR/RID CLASSIFICATION: Class:	
14.8	Item Number: ICAO/IATA CLASSIFICATION:	
	Class:	
	Sub-Risk:	
	Packing Group:	
	Proper Shipping Name:	
15. REGULATORY INFORMATION		
15.1	Precautionary Label Information:	This product does not require warning labels due to Hazards Classification as
15.2	Symbols:	designated in Section 3.
15.3	Risk Phrases:	Risk Phrases: R36/37/38
15.4	Safety Phrases:	Safety Phrases: S14 (per section 5), S22/39, S43 (per section 5)
16. OTHER INFORMATION		
16. OTH	Regulatory Information:	
10.1	regulatory information.	l .