

Material Safety Data Sheet

Revision DatePrepared byFebruary 7th, 2005David MacKinnonHead Office9347 - 193 Street, Surrey, B.C., V4N 4E7

Technical Information 1-800-201-8822 or support@mgchemicals.com Emergency Phone Canutech (613) 996-6666 Collect 24 hrs

For updates please download from <u>www.mgchemicals.com</u> or fax requests to 1-800-708-9888

Section 1: Product Identification

MSDS Code: 862

Name: Peelable Solder Mask

Related Part Numbers: 862-150ML; 862-1G

Use: For temporarily masking circuit boards.

Section 2: Hazardous Ingredients

| CAS# | Chemical Name | Percentage by weight | ACGIH TWA | Osha Pel | Osha Stel |
|-------------|--|----------------------|-----------|----------|-----------|
| 7732-18-5 | dionized water | 50 - 60 | n/e | n/e | n/e |
| n/e | acrylic latex polymer | 30 - 40 | n/e | n/e | n/e |
| n/e | alkoxylated alkyl phenol | 6 - 7 | n/e | n/e | n/e |
| 127087-87-0 | nonylphenol ethoxylate | < 3 | n/e | n/e | n/e |
| n/e | acrylic copolymer | < 3 | n/e | n/e | n/e |
| 85-68-7 | phthalate ester | 2 | n/e | n/e | n/e |
| 8029-76-3 | hydroxylated lecithin | < 2 | n/e | n/e | n/e |
| n/e | pigment | < 0.5 | n/e | n/e | n/e |
| 10377-60-3 | magnesium nitrate | << 1 | n/e | n/e | n/e |
| 26172-55-4 | 5-chloro-2-methyl-4-isothiazolin-3-one | << 1 | n/e | n/e | n/e |

Section 3: Hazards Identification

WHMIS Codes: n/a

| NFPA Ratings: | Health | 0 | Flammability | 0 | Reactivity | 0 | | |
|---------------|--|------------------|--------------------|------|------------|---|--|--|
| HMIS Ratings: | Health | 0 | Flammability | 0 | Reactivity | 0 | | |
| Eyes: | No obse | erva | able effects of ov | erex | oosure. | | | |
| Skin: | Mild irri | Mild irritation. | | | | | | |
| Inhalation: | Very mild, if any, irritation. | | | | | | | |
| Ingestion: | Nausea and diarrhea are possible. | | | | | | | |
| Chronic: | This product may sensitize heart muscle causing cardiac arrhythmia, in rare cases. | | | | | | | |

Section 4: First Aid Measure

| Eyes: | Remove contact lenses. Flush with water or saline for 20 minutes. Get medical aid. |
|-------------|--|
| Skin: | Wash skin with large quantities of soap and water for. Get medical aid if symptoms persist. |
| Inhalation: | Immediately remove from exposure to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid. |
| Ingestion: | Do not induce vomiting. If conscious, give 1-2 glasses of water. Get medical aid. |



Section 5: Fire Fighting Measures

| Autoignition Temperature: | n/e Flash Point: none | LEL / UEL: n/a |
|---------------------------|--|---------------------------|
| Extinguishing Media: | Use water spray, dry chemical, carbon dioxide, or ch | nemical foam. |
| General Information: | Will burn if involved in a fire. Containers may explod | le in the heat of a fire. |

Section 6: Accidental Release Measures

SpillRemove all sources of ignition. Provide adequate ventilation. Wear appropriate personal protection.Procedure:Sprinkle absorbent compound onto spill, then sweep into a plastic or metal container. Wipe up further
residue with paper towel and place in container. Wash spill area with soap and water.

Section 7: Handling and Storage

Handling: Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Do not ingest or inhale. Do not expose container to heat or flame.

Storage: Keep away from sources of ignition. Store in a cool, dry, well ventilated area, away from incompatible substances. Keep from freezing.

Section 8: Exposure Controls

Routes of entry: Eyes, ingestion, inhalation, and skin.

Ventilation: Use adequate general or local exhaust ventilation to keep airborne concentrations below exposure limits.

PersonalWear appropriate protective eyeglasses or chemical safety goggles. Wear appropriate protectiveProtection:clothing to prevent skin contact. Use a NIOSH approved respirator when necessary.

| Section 9: Physical and Chemical Properties | | | | | | | | | | |
|---|--------|----------------------|--------|--------------------|------|----------------------|-----|-----|---|--|
| Physical State: | Liquid | Odor: | laytex | Solubility: | none | Evaporation Rate: | n/a | | | |
| Boiling Point: | 100°C | Specific Gravity: | 1 | Vapor Pressure: | n/a | Vapor Density: | n/e | pH: | 7 | |

Section 10: Stability and Reactivity

| Stability: | Stable at normal temperatures and pressures. |
|----------------------|--|
| Conditions to avoid: | Temperatures over 40°C, ignition sources. |
| Incompatibilities: | None |
| Polymerization: | Will not occur. |
| Decomposition: | Carbon monoxide, carbon dioxide, nitrogen oxides |
| | |

Section 11: Toxicological Information

Sensitization: (effects of repeated exposure) Carcinogenicity: (risk of cancer) Teratogenicity: (risk of malformation in an unborn fetus) Not known to Not known to Not known to

PAGE 2 / 4



| Reproductive Toxicity: (risk of st | Not known to | | | | | |
|--|--------------|-----|--------------------|-----|--------------|-----|
| Mutangenicity: (risk of heritable g | Not known to | | | | | |
| Lethal Exposure Concentrations: Ingestion(LD50): n/e | | n/e | Inhalation (LC50): | n/e | Skin (LD50): | n/e |
| | | | | | | |

| Section 12: Ecological Information | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|
| GeneralAvoid runoff into storms and sewer drains which lead into waterways. Water runoff can causeInformation:environmental damage. | | | | | | | | | | |
| Environmental Impact Data: (percentage by weight) | | | | | | | | | | |
| CFC: 0 HFC: CI.Solv.: 0 VOC: 53 HCFC: 0 ODP: 0 | | | | | | | | | | |

Section 13: Disposal Information

GeneralNon-hazardous, however used product may contain possible contaminants (solder) that could make
the product hazardous. Dispose of in accordance with all local, provincial, state, and federal
regulations. Water runoff can cause environmental damage.

Section 14: Transportation Information

Ground:

Not regulated

Air:

Not regulated

Sea:

Not regulated

Section 15: Regulatory Information

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the Controlled Products Regulations.

SARA (Superfund Amendments and Reauthorization Act of 1986, USA, 40 CFR 372.4)

None of the chemicals in this product have a reportable quantity.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45

This product does not contain any chemicals subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

CAA (Clean Air Act, USA)

This product does not contain any class 1 ozone depletors.

This product does not contain any class 2 ozone depletors.

This product does not contain any chemicals listed as hazardous air pollutants.

Section 15: Regulatory Information Cont.

California Proposition 65 (Chemicals know to cause cancer or reproductive toxicity, May 1, 1997 revision, USA)

This product does not contain any chemicals listed.

Health Canada

Labeling and containers used in this product are listed in compliance with Consumer Chemicals and Container regulations.

Environment Canada



Chemicals in this product are listed on the Domestic Substances List in the Canadian Environmental Protection Act.

This product does not contain any ozone depleting substances.

Industry and Science Canada

Labeling, product identity, net quantity declaration, minimum printing type size heights, and packaging of this product is in compliance with the Consumer Packaging and Labeling Act and Regulations. This product is not slack filled in accordance to chapter 4 prohibitions.

RoHS (The restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2004).

This product is RoHS compliant.

Section 16: Other Information

Definitions: n/a = not applicable, n/e = not established

Disclaimer: This material safety data sheet is provided as an information resource only. M.G. Chemicals believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with federal, state, and local regulations.